

# Work Order ID 58508

May 7, 2010 3:06:02 PM

Page 1

Item ID: D3574-1

Accept

Setup Start

Revision ID:

Stop

Item Name: Cabin Floor Protector

Start Date: 07/05/2010 Start Qty: 4.00

Cust Item ID:

Required Date: 24/05/2010 Req'd Qty: 4.00

Customer:

Reference:

Approvals:

Process Plan:

Date: 10-5-10

Tooling:

Date:

Run Start

QC:

Date:

SPC (Y/N):

Date:

Stop

Sequence ID/  
Work Center ID

Operation  
Description

Set Up/  
Run Hours

Draw  
Number

Draw  
Rev.

Plan  
Code

Accept  
Qty

Reject  
Qty

Reject  
Number

Insp.  
Stamp

Draw Nbr

Revision Nbr

D3574

Rev B

100

0.00



Waterjet

FLOW WATER JET

Memo

0.00

FLOW CNC Waterjet

1-Cut as per Dwg D3574

☐ Dwg Rev: B

☐ Prog Rev: B

Deburr if necessary

B 10-5-12

(4)

110

QC2- Inspect parts off machine FAI/FAIB

0.00



QC

Memo

0.00

Quality Control

B 10-5-12

120

QC8- Inspect parts - second check

0.00



QC

Memo

0.00

Quality Control

(74)

W/O:			WORK ORDER CHANGES					
DATE	STEP		PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

# Work Order ID 58508

May 7, 2010 3:06:02 PM



Page 2

Item ID: D3574-1

Accept



Setup Start



Revision ID:

Stop



Item Name: Cabin Floor Protector

Start Date: 07/05/2010 Start Qty: 4.00



Cust Item ID:

Required Date: 24/05/2010 Req'd Qty: 4.00



Customer:

Reference:

Approvals: Process Plan: \_\_\_\_\_ Date: \_\_\_\_\_ Tooling: \_\_\_\_\_ Date: \_\_\_\_\_

Run Start



QC: \_\_\_\_\_ Date: \_\_\_\_\_ SPC (Y/N): \_\_\_\_\_ Date: \_\_\_\_\_

Stop



Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Draw Number	Draw Rev.	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130 	Small Fab	0.00							
Small Fab	Memo	0.00							
Small Fab	Deburr if necessary.								
140 	QC5- Inspect part completeness to step on W/O	0.00							
QC	Memo	0.00							
Quality Control									
150 	Identify as per dwg & Stock Location: _____	0.00							
Packaging	Memo	0.00							
Packaging									

*Handwritten signature and date: 5/10/05/13 (4)*

*Handwritten note: 5/10/05/13*

*Handwritten signature and date: 5/10/05/13 (4)*

*Handwritten signature and date: 5/10/05/13 (4)*

W/O:			WORK ORDER CHANGES					
DATE	STEP		PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:			WORK ORDER NON-CONFORMANCE (NCR)					
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			




**NOTE:** Date & initial all entries



# Work Order ID 58508


May 7, 2010 3:06:02 PM




Page 3

Item ID: D3574-1 Accept  Setup Start   
Revision ID:  
Item Name: Cabin Floor Protector Stop   
Start Date: 07/05/2010 Start Qty: 4.00  Cust Item ID:  
Required Date: 24/05/2010 Req'd Qty: 4.00  Customer:  
Reference:

Approvals: Process Plan: \_\_\_\_\_ Date: \_\_\_\_\_ Tooling: \_\_\_\_\_ Date: \_\_\_\_\_ Run Start   
QC: \_\_\_\_\_ Date: \_\_\_\_\_ SPC (Y/N): \_\_\_\_\_ Date: \_\_\_\_\_ Stop 

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Draw Number	Draw Rev.	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
160 	QC21- Final Inspection - Work Order Release	0.00							
QC Quality Control	Memo	0.00							

10/05/17   
MF  
105-14

W/O:			WORK ORDER CHANGES					
DATE	STEP		PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:			WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP		Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
				Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

# Picklist Print

May 7, 2010 3:06:06 PM

Page 1

Work Order ID: 58508



Parent Item: D3574-1



Parent Item Name: Cabin Floor Protector

Start Date: 07/05/2010

Required Date: 24/05/2010

Comments: IPP Rev :A New Issue 07-01-22 EC

Start Qty: 4.00

Required Qty: 4.00

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Qty Issued	Date Issued	Status
MLEXS.125-F60029-04		Purchased	No				sf	2,595.865	33.6	128,		
											1810-5-11	
GE PLASTICS LEXAN SHEET												

Location

Loc Qty

Loc Code

MAT

2595.8658

111710

64

112585

184.333

114032

2347.5328

114032

④

W/O:			WORK ORDER CHANGES					
DATE	STEP		PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries



<b>DART AEROSPACE LTD</b>		<b>Work Order:</b>	58508
<b>Description:</b> Cabin Floor Protector		<b>Part Number:</b>	D3574-1
<b>Inspection Dwg:</b> D3574	<b>Rev:</b> B	<b>Page 2 of 2</b>	

### FIRST ARTICLE INSPECTION CHECKLIST

☒ First Article ☐ Prototype

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
16.56	+/-0.030	16.56	✓			
18.75	+/-0.030	18.75	✓			
24.13	+/-0.030	24.13	✓			
26.50	+/-0.030	26.56	✓			
30.50	+/-0.030	30.56	✓			
33.88	+/-0.030	33.88	✓			
39.50	+/-0.030	39.50	✓			
40.25	+/-0.030	40.25	✓			
43.50	+/-0.030	43.50	✓			
43.83	+/-0.030	43.82	✓			
46.60	+/-0.030	46.60	✓			
7.63	+/-0.030	7.63	✓			
11.00	+/-0.030	11.00	✓			
11.50	+/-0.030	11.50	✓			
16.75	+/-0.030	16.75	✓			
19.00	+/-0.030	19.00	✓			
22.50	+/-0.030	22.50	✓			
30.75	+/-0.030	30.75	✓			
32.63	+/-0.030	32.63	✓			
32.75	+/-0.030	32.75	✓			
35.13	+/-0.030	35.13	✓			
36.50	+/-0.030	36.50	✓			
40.00	+/-0.030	40.00	✓			
41.88	+/-0.030	41.88	✓			
43.63	+/-0.030	43.63	✓			
0.125	+/-0.010	0.132	✓			

<b>Measured by:</b> B	<b>Audited by:</b> S	<b>Prototype Approval:</b>	N/A
<b>Date:</b> 10-5-12	<b>Date:</b> 10/05/12	<b>Date:</b>	N/A

Rev	Date	Change	Revised by	Approved
A	08.02.28	New Issue	KJ/DD	
B	08.07.31	47.75 dimension removed	KJ/DD	
C	09.05.15	Dimensions updated per Dwg Rev B	KJ	MA


W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries



**D3574-1 CABIN FLOOR PROTECTOR**

**NOTES:**

- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP, (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3574-1" AND B/N USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 7) WEIGHT: 14.30 lbs
- 8) CHECK PER TEMPLATE DT8961

SHOP COPY  
RETURN TO  
ENGINEERING  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER  
NO. 58508

*2810-5-10*

**RELEASED**  
01/04/07

B	ADD CUT-OUT TO -1/-5 FOR WEIGHT AND BALANCE DATA PLATE ZN B7-1, B8-5; -2 NOW SHOWN ON SHEET 2	09.03.25
A	NEW ISSUE	07.06.08
REV.	DESCRIPTION	BY DATE
DESIGN		
DRAWN		
CHECKED		
MFG. APPR.		
APPROVED		
DE APPR.		
DATE	09.03.25	

**DART AEROSPACE LTD**  
HAWKESBURY, ONTARIO, CANADA

DRAWING NO. **D3574**  
REV. B  
SHEET 1 OF 6  
TITLE **CABIN FLOOR PROTECTOR**  
SCALE NTS

COPYRIGHT © 2007 BY DART AEROSPACE LTD  
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS  
NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT  
WRITTEN PERMISSION FROM DART AEROSPACE LTD.


W/O:			WORK ORDER CHANGES					
DATE	STEP		PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries



W/O 38508

**RELEASED**  
 09/04/07


W/O:			WORK ORDER CHANGES					
DATE	STEP		PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:			WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP		Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
				Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries



### D3574-3 CABIN FLOOR PROTECTOR

#### NOTES:

- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP, (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3574-3" AND B/N USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 7) WEIGHT: 14.33 lbs
- 8) CHECK PER TEMPLATE DT8962

DESIGN		<b>DART AEROSPACE LTD</b>
DRAWN		HAWKESBURY, ONTARIO, CANADA
CHECKED		DRAWING NO. <b>D3574</b>
MFG. APPR.		REV. B
APPROVED		SHEET 3 OF 6
DE APPR.		TITLE <b>CABIN FLOOR PROTECTOR</b>
DATE	<b>09.03.25</b>	SCALE <b>NTS</b>

COPYRIGHT © 2007 BY DART AEROSPACE LTD  
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD

**RELEASED**  
01/07/10

w/o 58506

W/O:			WORK ORDER CHANGES					
DATE	STEP		PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:			WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP		Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
				Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries






W/O:			WORK ORDER CHANGES					
DATE	STEP		PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:			WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP		Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
				Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries




W/O:			WORK ORDER CHANGES					
DATE	STEP		PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:			WORK ORDER NON-CONFORMANCE (NCR)					
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries



W/O:			WORK ORDER CHANGES					
DATE	STEP		PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:			WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP		Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
				Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

<b>DART AEROSPACE LTD</b>		<b>Work Order:</b>	39808
<b>Description:</b> Cabin Floor Protector		<b>Part Number:</b>	D3574-1
<b>Inspection Dwg:</b> D3574	<b>Rev:</b> B	<b>Page 1 of 2</b>	

### FIRST ARTICLE INSPECTION CHECKLIST

☒ First Article ☐ Prototype

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
Ø3.00	+0.006/-0.001	3.008	✓			
7.37	+/-0.030	7.37	✓			
10.75	+/-0.030	10.75	✓			
11.00	+/-0.030	11.00	✓			
15.25	+/-0.030	15.25	✓			
25.87	+/-0.030	25.87	✓			
39.75	+/-0.030	39.75	✓			
44.75	+/-0.030	44.75	✓			
49.11	+/-0.030	49.11	✓			
51.11	+/-0.030	51.11	✓			
53.51	+/-0.030	53.51	✓			
63.50	+/-0.030	63.50	✓			
65.25	+/-0.030	65.25	✓			
10.75	+/-0.030	10.76	✓			
11.06	+/-0.030	11.06	✓			
14.75	+/-0.030	14.75	✓			
25.50	+/-0.030	25.50	✓			
25.75	+/-0.030	25.75	✓			
26.00	+/-0.030	26.00	✓			
32.87	+/-0.030	32.87	✓			
38.81	+/-0.030	38.81	✓			
44.75	+/-0.030	44.75	✓			
45.00	+/-0.030	45.00	✓			
48.25	+/-0.030	48.25	✓			
58.38	+/-0.030	58.38	✓			
61.25	+/-0.030	61.25	✓			
64.13	+/-0.030	64.13	✓			
64.63	+/-0.030	64.63	✓			
66.50	+/-0.030	66.50	✓			
7.50	+/-0.030	7.50	✓			
9.50	+/-0.030	9.50	✓			
10.38	+/-0.030	10.38	✓			
10.88	+/-0.030	10.88	✓			
14.50	+/-0.030	14.50	✓			

W/O:			WORK ORDER CHANGES					
DATE	STEP		PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:			WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP		Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
				Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries